TOP SECRET Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

NPIC/R-157/64

KURUMOĊH	ROCKET	ENGI	NE	TEST	FA	CILITY,	U	SSR
SUMMARY								
photography of			posi	ition.	One	of the th	ree	smal

reveals changes that have taken place in the Kurumoch Rocket Engine Test Facility since and permits identification of significant details of the facility about which there has been some doubt. It can now be stated that the installation contains five test stands, including two large vertical test stands and three smaller test stands. The large vertical test stand first seen in ____ is currently operational and contains a single test position. The other large test stand is in the final stage of construction and probably contains a single test

ller test stands is currently operational and probably contains multiple test positions. The other two test stands are probably operational, and each probably contains a single test position.

The two operational support facilities adjoining the two large test stands appear to be duplicates of each other except for minor differences. The apparent duplication may indicate either that the support facilities do not contain industrial processes which serve the entire test facility or that the items to be tested at the two large test stands are different.

INTRODUCTION

previous NPIC report 1/ published in 25X1D 25X1D 25X1A 25X1 25X1 25X1D

25X1 25X1D 25X1

25X1

25X1D

25X1D

25X1D

25X1D

on the Kurumoch Rocket Engine Test Facility (BE No , located at 53-31N 49-49E near Kuybyshev, USSR (Figure 1). The previous report on this installation was compiled from and photography, the latest of which was obtained on In this report revisions and additions to information previously released are based on photography from Mission (Figure 2).

The purpose of this report is to update a

Included in this report are revisions of a number of rather significant items which have permitted the formulation of certain conclusions. To support these conclusions, which are presented in the final section of this study, certain previously reported information is repeated in the body of this report, which consists of four tables included in Figures 4 through 7. Items in these tables are keyed to a line drawing of

the test facility (Figure 3), which is based on photography. A perspective drawing of a test stand or stands accompanies each table.




FIGURE 1. LOCATION OF KURUMOCH ROCKET ENGINE TEST FACILITY, USSR.

Declassification Review by NIMA / DoD

- 1 -

25X1D

NPIC/R-157/64



FIGURE 2. KURUMOCH ROCKET ENGINE TEST FACILITY,

25X1D

- 2 -

TOP SECRET Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

NPIC/R-157/64




FIGURE 3. KURUMOCH ROCKET ENGINE TEST FACILITY.

25X1D

25X1

Approved For Release 2504/05/12: CIA-RDP78B04560A002000010024-7

General	Data Regarding Completed Vertical Test Stand Vertical test stand (item 1) built in excavation in side of bluff Overall height, 185 ft	
Superstructure	90 by 85 ft, height 125 ft (70 ft above access bridge, 55 ft below bridge); 25-ft overhang over base structure, probably toward blast area Tower enclosed; two structural members intersect at roof center	
Base Structure	85 by 65 ft, height 60 ft Divided into three longitudinal bays by interior walls or columns	
Access	Bridge, 25 ft wide, directly into stand; other end to abutment structure where it joins road to checkout building; bridge in line with checkout building Bridge containing passageway/pipe gallery from control structure Road to blast area at base of stand	
Status and Timetable	Operational prior to(blast mark in snow) Under construction inexterior completed by	25X1D 25X1D
Blast Mark	Visible on photography of Length: estimated 240 ft, overall, from base of stand Width: 150 ft at maximum, 70 ft at base of stand Axis of blast mark centered on stand; blast mark symmetrical	25X1D 25X1D
Drainage	Into ravine; possible settling beds downstream	
Control Structure	Building (item 3); 70 by 60 ft; on edge of excavation Site prepared by Bridge containing passageway/pipe gallery from control structure to stand	25X1D
Operational Support	Checkout building (item 4); 200 by 130 ft, height 30 ft; two bays; drive-through bay in line with access bridge road; under construction in Building (item 6); 130 by 45 ft, height 30 ft; connected to checkout building by passageway/pipe gallery; under construction in Building (item 5); 325 by 115 ft, height 60 ft Building (item 15); 170 by 75 ft, height 30 ft; contains horizontal cylinder; under construction in	25X1D 25X1D
25X1D	to the state of th	
Dispersal	575 ft to checkout building 160 ft to control structure	
	981	
LTEM 3	185'	
	PREM 1	
		-
Ì	BLAST MARK	
	ITEM NUMBERS ARE VEYES TO THE STATE OF	

FIGURE 4. COMPLETED VERTICAL TEST STAND (Item 1, Figure 3).

TOP SECRET Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7




FIGURE 5. VERTICAL TEST STAND UNDER CONSTRUCTION (Item 2, Figure 3).

Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

NINOU MIROLO COSSONIO	Data Regarding Possible Multiple Position Test Stand					
General	Test stand (item 18); built on edge of an excavation cut into the side of bluff					
Superstructure	100 by 80 ft; possibly contains multiple test positions; greatest dimension parallel with edge of excavation and blast area Structure, 60 by 40 ft and taller than main structure, attached on one side of tower Estimated height above approach, 40 ft Object on roof possibly between test bays					
Base Structure	Extends to bottom of exeavation					
Access	Built inside of curve in road descending side of bluff Direct access from road to upper level and to blast area					
Status and Timetable	Operational 25X1D Excavation present in exterior completed by no apparent change between 25X1D					
Blast Mark	Visible in snow on photography of 25X1D Estimated 250 by 15-80 ft, overall; slope and irregular surface of scarred area downgrade accuracy of measurements Edge of scar seems flush with end of stand opposite attached structure					
Drainago	Into ravine; possible settling beds downstream					
Control Structure	None observed					
Operational Support	None observed					
Dispersal	420 ft to item 4 320 ft to test stand (item 19)					
	100' 100' 100' 100' 100' 100' 100' 100'					
The Control of the Co	BERS ARE FIGURE 3					

FIGURE 6. POSSIBLE MULTIPLE POSITION TEST STAND (Item 18, Figure 3).

25X1D

TOP SECRET Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

Caranal	Data Regarding Two Small Test Stands Two test stands (items 19 and 21) built in two-level, stairstep excavation cut into side of bluff;
General	stands are at edge of bench formed by the upper excavation and extend out into the lower excavation
Superstructures	Item 19: 100 by 40 ft, height 40 ft above floor of upper excavation
	Item 21: 90 by 40 ft, height 40 ft above floor of upper excavation Dimensions are estimates; longest dimension of each stand is at right angles to edge of bench
Base Structures	Extend to bottom of lower excavation at both stands
Access	Inclined approach bridges to tops of stands from top edge of upper exeavation Road to blast areas 25X1
Status and Timetable	Both probably operational; exteriors complet No apparent change in either stand between
	Excavation was in progress for item 19, but not for item 21, in location of item 19 was just inside security fence and item 21 was just outside
25X1D	
Blast Mark 25X1D	No blast mark visible at item 21 Possible blast mark at item 19 visible in snow, fan shaped; estimated overall dimensions, 70 by 40-80 ft; slope and irregular surface downgrade accuracy of measure-
	ments Distance from bases of stands to trees in path of blasts: 280 feet for item 19, 200 ft for item 21
Drainage	Into ravine; possible settling beds downstream
Control Structure	Building (item 20), 70 by 60 ft; located between the test stands and in line with them
Operational Support	None observed
Dispersal	Distance to control structure for Item 19 is 170 ft and for item 21 is 150 ft Distance from item 19 to item 18 is 320 ft
	100
ITEM H	ITEM 20
	± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1
POSSIBLE	BLAST MARK
	^•o; /
ITEM NUMBERS A	RE KEYED TO FIGURE 3

FIGURE 7. TWO SMALL TEST STANDS AND CONTROL STRUCTURE (Items 19, 20, and 21, Figure 3).

Approved For Release \$564705712: CIA-RDP78B04560A002000010024-7

NPIC/R-157/64

CONCLUSIONS

Certain conclusions not previously attainable have been reached concerning details of the Kurumoch Rocket Engine Test Facility as a result of the photographic coverage. These conclusions are possible because of several factors. First, the new photography permits comparisons between the facility as it is now and as it has appeared at different times in the past. Second, the quality of the latest photography has made possible the taking of certain measurements and the discernment of certain shapes that could not be accomplished on earlier photography. Finally, the presence of

25X1D

25X1D

25X1D

Prior to the latest photographic coverage, the principal matters about which there had been some doubt were: (1) the number of test positions at the test stand first identified in (item 1, Figure 3); (2) the size of the test stand under construction (item 2); (3) the number of smaller test stands, and (4) the function(s) of the two buildings in the operational support facility adjoining the completed vertical test stand (item 1). 2/3/

The latest photography has permitted measurement of the vertical test stand under construction as well as of other structures, and this data has been presented on Figures 4 through 7. Other findings and conclusions are presented in the following numbered paragraphs, including statements regarding the status of the test stands, data concerning the number of test positions in each stand, and data concerning the operational support facilities.

1. The installation contains five test stands: a vertical test stand (item 1, Figure 3), a vertical test stand under construction (item 2), and three smaller test stands (items 18, 19, and 21). Adjoining each of the two vertical test stands is a support facility containing a checkout building and other structures.

- 2. The vertical test stand (item 1) is currently operational and contains one test position. The stand has a single symmetrical blast mark, the axis of which is centered on the stand with its width next to the stand being the same as the width of the stand. (For additional data, see Figure 4.)
- 3. The vertical test stand under construction (item 2) is in the final stages of construction. It is larger than the other vertical test stand and probably contains one test position. The construction status is indicated by the completion of the structure and lack of an access road; that it probably has one position is indicated by the shape of the stand. (For additional data, see Figure 5.)
- 4. One of the smaller stands (item 18) is currently operational and probably contains multiple test positions as indicated by its shape and the size and position of the blast mark. (For additional data, see Figure 6.)
- 5. The other two smaller stands (items 19 and 21) are similar in appearance, are different from the other stands, and are probably operational. The access bridge at each stand leads to the top of the stand. Each stand contains one test position; this is indicated by the presence of one centered possible blast mark at item 19, by the lack of apparent change between

the stands. (For additional data, see Figure 7.)

6. The operational support facilities adjoining the two large test stands are duplicates of each other in part and appear to be duplicates in many other respects. Items 4 and 24, 6 and 23 are matching pairs, and items 5 and 28, 15 and 27 are possible matching pairs. The apparent duplication may indicate either that the support facilities do not contain industrial processes which serve the entire test facility or that the items to be tested at the two large test stands are different.

25X1D 25X1D

- 8 -

25X1

NPIC/R-157/64

REFERENCES

	РНОТОGRАРНУ	
25X1D		
	MAPS OR CHARTS	
	ACIC. US Air Target Chart, Series 200, Sheet 0165-17A, 3d ed, Jan 60, scale 1:200,000 (SECRET)	
	DOCUMENTS	
	1. NPIC. R-309/63, Kurumoch Rocket Engine Test Facility, USSR, Dec 63 (TOP SECRET	2EV4
	2. USAF. ATIS-T-60-5, Kurumoch Rocket Engine Facility, 15 Sep 60 (TOP SECRET	25X1 25X1
25X1A 25X1	3. CIA. OSI. PEM-0387/12/63, Doc 63 (TOP SECRET	23/1
	RELATED DOCUMENTS 25X1	05740
25X1C	CIA. PIC/JR-1002/60, Propulsion Test Complex, Kurumoch, USSR, Nov 60 (SECRET/	25X1C
	NPIC. B-47/61, Propulsion Test Complex, Kurumoch, USSR: Changes Since Dec 61 (TOP SE-	
25X1	CRET	
25X1C	NPIC. R-99/63, Kurumoch Rocket Engine Test Facility: Original Test Stand, Kurumoch, USSR, Jun 63 (TOP	
25X1	SECRET SECRET	
25X1C		
	REQUIREMENT	
	CIA. PC-56-64	
	NPIC PROJECT	
	N-65/64	

TOP SECRET
Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

Approved For Release 2004/05 & C. R. P. RDP78B04560A002000010024-7

Copy 405 9 Pages



NPIC/R-157/64 March 1964

KURUMOCH ROCKET ENGINE TEST FACILITY, USSR

25X1D






25X1

CIA

DIA

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



TOP SECRET

Approved For Release 2004/05/12 : CIA-RDP78B04560A002000010024-7

GROUP 1
Excluded from automatic
dwingoding and declassificatio